Village of Woodridge
Established 1959
Community Development Department • Five Plaza Drive • Woodridge, IL 60517-5014
(630) 719-4750 • FAX (630) 719-2900

Driveway Installation Guide

1. Permit application
2. 2 copies of engineer stamped 11”x17” Plat of Survey must be provided with the driveway drawn to scale with dimensions on each of the plats of survey.
3. Type of drive way with the following specifications listed:

   - Concrete Driveway: minimum 3” gravel base and 5” concrete on private side, minimum 3” gravel base and 6” concrete on public side (apron)
   - Brick Driveways: Minimum 8” gravel base and 1” sand under bricks, Must follow manufactures recommendations for installation
   - Asphalt driveway: Minimum 8” gravel base and 2” asphalt on private side, Minimum 8” gravel 3” of asphalt on the public side (apron)

The following inspections are required on driveways

Inspection #1 = Base Inspection
Inspection #2 = Final Inspection

TABLE NO. 2 TWO-WAY DRIVEWAY DIMENSIONS				
Type Of Development	Width On Private Property At Street Right Of Way Lines		Width Measured At Street Curb Line	
	Minimum	Maximum	Minimum	Maximum
Single-family residential uses	10 ft.	22 ft. or 30% of lot width (up to 30 ft.) whichever is greater[4]	16 ft.	28 ft. or 30% of lot width plus 6 ft. (up to 36 ft.) whichever is greater[4]

Notes:
Notwithstanding any provision contained herein to the contrary, existing driveways constructed prior to May 8, 1986, which are not in conformance with the driveway dimensions for single-family residential uses as set forth in the table above, may be repaired or reconstructed to a width which is no greater than the width of the existing driveway, or 30 feet, whichever is less.

The minimum width of a driveway at any point shall not be less than 10 feet for a single-family residential use.

TABLE NO. 3 MINIMUM PAVEMENT CONSTRUCTION REQUIREMENTS				
Type Of Development	Parkway Flexible	Rigid	Private Property Flexible	Rigid
Residentially zoned districts containing 4 or less units	3" bituminous concrete 8" crushed stone	6" Portland cement concrete 3" crushed stone	2" bituminous concrete 8" crushed stone	5" Portland cement concrete 3" crushed stone
Residentially zoned districts containing more than 4 units	3" bituminous concrete 8" crushed stone	6" Portland cement concrete 3" crushed stone	3" bituminous concrete 8" crushed stone	6" Portland cement concrete 3" crushed stone

Notes:

1)2 inch bituminous concrete shall be surface course class I.
2)3 inch bituminous concrete shall be 2 inches of binder coarse and 1 inch surface coarse class I.
3)Crushed stone shall be CA-6 grade compacted in not more than 4 inch thick layer.
4)Reserved.
5)Brick pavers may be used for driveway surfaces in lieu of Portland cement or bituminous asphalt materials in accordance with the following design standards:

Brick paver depth = 8 centimeters.
Base = 1 inch sand and 8 inches crushed stone.

(1976 Code §22-20-2; amd. Ord. 92-06, 3-12-1992; Ord. 94-20, 3-24-1994; Ord. 2005-47, 8-18-2005)
(Chapter 9-10-2-G of the zoning code)

VILLAGE OF WOODRIDGE BUILDING PERMIT

5 Plaza Drive
Woodridge, IL 60517
Phone: (630) 719-4750 Fax: (630) 719-2900

Plan # or Name _____ Date _____

Permit Application Address _____

Lot# _____ Subdivision _____

Description of Work _____

Zoning _____ Size of Lot _____X_____ Total Estimated Cost $_____

	Address, Town, Zip	Phone
Property Owner		
Tenant		
General Contractor		
Architect		
Brick		
Carpenter		
Concrete/ Asphalt Contractor		
Electrician		
Low Voltage Contractor		
Excavator		
Fire Alarm		
Fire Protection		
Heating Contractor		
Plumber		
Roofer		
Sewer Contractor		

Kind of Construction_____ Width _____ Length _____ Height _____

Contact Email Address _____ Applicant's Signature _____

Permit # _____

ACCOUNTING CODE		AMOUNT
101-0000-323-0100	Building Permit	
	Electrical Permit	
	Plumbing Permit	
	Plan Reviews	
	Deck Permit	
	Driveway Permit	
	Fence Permit	
	Flatwork Permit	
	Lawn Sprinkler	
	Sewer Permit	
	Shed Permit	
	Swimming Pool	
	Roof Permit	
	Misc.	
501-0000-344-0500	Water Connection	
501-0000-344-0600	Water Meter	
501-0000-344-0200	Unmetered Water	
	School District	
101-0000-207-1100	School Dist. 66	
101-0000-207-1200	School Dist. 68	
101-0000-207-1300	School Dist. 99	
101-0000-207-1412	School Dist 113A	
101-0000-207-1701	School Dist 203	
101-0000-207-1500	School Dist 210	
101-0000-207-19XX	School Dist 365	
	Park District	
101-0000-207-16XX	Woodridge Park District	
101-0000-207-20XX	Bolingbrook Park Dist	
206-0000-365-0000	Charitable Contributions	
	GRAND TOTAL	

APPROVED

Plan Review _____ Date _____

ISSUED

Plan Review_____ Date _____

OFFICE USE ONLY