Village of Woodridge
Community Development Department • Five Plaza Drive • Woodridge, IL 60517-5014
(630) 719-4750 • FAX (630) 719-2900

Water Heaters

Water heaters need to have an approved metallic pipe used for the pressure relief system
IPC 890.1230.d.3

A floor drain is required in the room that the water heater is located in with a p-trap
IPC 890.1230.d.4

A wire needs to be clamped and installed bonding of the hot and cold lines and gas line
For a 100 amp service, a #8 copper wire needs to connect the hot water, cold water and gas lines
For a 200 amp service, a #4 copper wire needs to connect the hot water, cold water and gas lines
NEC E3609.6-7

An approved gas shutoff with trap must be dedicated and installed for the water heater

Water heater must have approved venting. If the venting is metal, three screws must be present at each joint

Other water heater types must be installed to manufactured specifications and instructions. Present these manufacture specifications at time of permit application.

VILLAGE OF WOODRIDGE BUILDING PERMIT

5 Plaza Drive
Woodridge, IL 60517
Phone: (630) 719-4750 Fax: (630) 719-2900

Plan # or Name _____ Date _____

Permit Application Address _____

Lot# _____ Subdivision _____

Description of Work _____

Zoning _____ Size of Lot _____X_____ Total Estimated Cost $_____

	Address, Town, Zip	Phone
Property Owner		
Tenant		
General Contractor		
Architect		
Brick		
Carpenter		
Concrete/ Asphalt Contractor		
Electrician		
Low Voltage Contractor		
Excavator		
Fire Alarm		
Fire Protection		
Heating Contractor		
Plumber		
Roofer		
Sewer Contractor		

Kind of Construction_____ Width _____ Length _____ Height _____

Contact Email Address _____ Applicant's Signature _____

Permit # _____

ACCOUNTING CODE		AMOUNT
101-0000-323-0100	Building Permit	
	Electrical Permit	
	Plumbing Permit	
	Plan Reviews	
	Deck Permit	
	Driveway Permit	
	Fence Permit	
	Flatwork Permit	
	Lawn Sprinkler	
	Sewer Permit	
	Shed Permit	
	Swimming Pool	
	Roof Permit	
	Misc.	
501-0000-344-0500	Water Connection	
501-0000-344-0600	Water Meter	
501-0000-344-0200	Unmetered Water	
	School District	
101-0000-207-1100	School Dist. 66	
101-0000-207-1200	School Dist. 68	
101-0000-207-1300	School Dist. 99	
101-0000-207-1412	School Dist 113A	
101-0000-207-1701	School Dist 203	
101-0000-207-1500	School Dist 210	
101-0000-207-19XX	School Dist 365	
	Park District	
101-0000-207-16XX	Woodridge Park District	
101-0000-207-20XX	Bolingbrook Park Dist	
206-0000-365-0000	Charitable Contributions	
	GRAND TOTAL	

APPROVED

Plan Review _____ Date _____

ISSUED

Plan Review_____ Date _____

OFFICE USE ONLY